LIFE TIME
On frame

1 YEAR
On graphic

INDOOR USE

SINGLE SIDED

CLAMP BAR

ADJUSTABLE HEIGHT

PRODUCT DESCRIPTION

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

DISPLAY DIMENSION	25.5" W x 9.5" D x 3" H
GRAPHIC DIMENSIONS	24" W x 85" to 92" H

GRAPHIC MATERIAL

Super Flat Vinyl or Fabric

GRAPHIC FINISHING

5" Bleed at the bottom

DISPLAY CONSTRUCTION

Sturdy Aluminum Construction

SHIPPING WEIGHTS & DIMENSIONS

SINGLE BOX - 1 Unit

Shipping Weight	12 lbs (stand only) 13 lbs (frame and graphic)
Shipping Dimensions	31" H x 13" W x 6" D

MASTER BOX - 4 Units

Shipping Weight	51 lbs (stand only) 52 lbs (frame and graphic)
Shipping Dimensions	30" H x 27" W x 12" D

LARGE QUANTITY FREIGHT

Master Box - Freight Shipping	12 boxes per 48" L x 40" W x 42" H skids
Master Box - Freight Weight	153 lbs (frame only) 156 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME

2 to 3 business days after proof approval

AVAILABLE ACCESSORIES

Silver Clamp Light (35 Watts)	Silver Clamp Light LED
Silver Light (50 Watts)	Black Light (50 Watts)
Silverstep Magnectic Connector	
AVAILABILITY	CA and PA

Black Base
(Optional)

Black Clamp Bar
(Optional for Super Flat Vinyl)

Silverstep Magnetic Connector
(Optional)

Black Hook & Loop Bar
(Optional for Fabric)

Silver Hook & Loop Bar
(Optional for Fabric)

expandbiz

expandbizexhibits.com • Tel: 626-727-3716

PARTS LIST

Qty 1 - Silverstep Stand

Qty 1 - Clamp Bar

Qty 1 - Telescopic Support Pole

Qty 1 - Silver Travel Bag

SET UP INSTRUCTIONS

Prepare Banner Stand

a. Remove Silverstep Stand out of bag.

Install Telescopic Pole

a. Assemble telescopic pole.

b. Insert telescopic pole into hole of the base stand.

Pull Up Banner

a. Pull banner out of base.

b. Attach telescopic pole to the clamp bar. Adjust pole to desired height.

c. Complete stand.

SET UP INSTRUCTIONS

Install Magnetic Connector

a. Pull off end caps from Silverstep.

b. Push connector piece until it locks in position.

c. Connect another Silverstep onto it.

Complete Connection

SILVERSTEP® TABLETOP 24"

RETRACTABLE BANNER STANDS

PRODUCT CODE: SSTT24

PRODUCT DESCRIPTION

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

DISPLAY DIMENSION	25.5" W x 9.5" D x 3" H
GRAPHIC DIMENSIONS	24" W x 85" to 92" H

GRAPHIC MATERIAL

Super Flat Vinyl or Fabric

GRAPHIC FINISHING

5" Bleed at the bottom

DISPLAY CONSTRUCTION

Sturdy Aluminum Construction

SHIPPING WEIGHTS & DIMENSIONS

SINGLE BOX - 1 Unit

Shipping Weight	12 lbs (stand only) 13 lbs (frame and graphic)
Shipping Dimensions	31" H x 13" W x 6" D

MASTER BOX - 4 Units

Shipping Weight	51 lbs (stand only) 52 lbs (frame and graphic)
Shipping Dimensions	30" H x 27" W x 12" D

LARGE QUANTITY FREIGHT

Master Box - Freight Shipping	12 boxes per 48" L x 40" W x 42" H skids
Master Box - Freight Weight	153 lbs (frame only) 156 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME

2 to 3 business days after proof approval

AVAILABLE ACCESSORIES

Silver Clamp Light (35 Watts)	Silver Clamp Light LED
Silver Light (50 Watts)	Black Light (50 Watts)
Silverstep Magnectic Connector	
AVAILABILITY	CA and PA

Black Base
(Optional)

Black Clamp Bar
(Optional for Super Flat Vinyl)

Black Hook & Loop Bar
(Optional for Fabric)

Silver Hook & Loop Bar
(Optional for Fabric)

Silverstep Magnetic Connector
(Optional)

PARTS LIST

Qty 1 - Silverstep Stand

Qty 1 - Clamp Bar

Qty 1 - Telescopic Support Pole
(2-sectional poles for 45" & 54".
3-sectional poles for 63" & 76".)

Qty 1 - Silver Travel Bag

SET UP INSTRUCTIONS

Prepare Banner Stand

a. Remove Silverstep Stand out of bag.

Install Telescopic Pole

a. Assemble telescopic pole.

b. Insert telescopic pole into hole of the base stand.

Pull Up Banner

a. Pull banner out of base.

b. Attach telescopic pole to the clamp bar. Adjust pole to desired height.

c. Complete stand.

SET UP INSTRUCTIONS

Install Magnetic Connector

a. Pull off end caps from Silverstep.

b. Push connector piece until it locks in position.

c. Connect another Silverstep onto it.

Complete Connection

LIFE TIME	1 YEAR	INDOOR USE	SINGLE SIDED	CLAMP BAR	ADJUSTABLE HEIGHT
On frame	On graphic				

PRODUCT DESCRIPTION

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

DISPLAY DIMENSION	37.5" W x 9.5" D x 3" H
GRAPHIC DIMENSIONS	36" W x 69" to 92" H

GRAPHIC MATERIAL

Super Flat Vinyl or Fabric

GRAPHIC FINISHING

 5" Bleed at the bottom

DISPLAY CONSTRUCTION

Sturdy Aluminum Construction

SHIPPING WEIGHTS & DIMENSIONS

SINGLE BOX - 1 Unit

Shipping Weight	17 lbs (stand only) 18 lbs (frame and graphic)
Shipping Dimensions	41" H x 13" W x 5" D

MASTER BOX - 4 Units

Shipping Weight	64 lbs (stand only) 65 lbs (frame and graphic)
Shipping Dimensions	42" H x 26" W x 10" D

LARGE QUANTITY FREIGHT

Master Box - Freight Shipping	12 boxes per 48" L x 40" W x 52" H skids
Master Box - Freight Weight	384 lbs (frame only) 390 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME

2 to 3 business days after proof approval

AVAILABLE ACCESSORIES

Silver Clamp Light (35 Watts)	Silver Clamp Light LED
Silver Light (50 Watts)	Black Light (50 Watts)
Silverstep Magnectic Connector	
AVAILABILITY	CA and PA

Black Base
(Optional)

Black Clamp Bar
(Optional for Super Flat Vinyl)

Black Hook & Loop Bar
(Optional for Fabric)

Silver Hook & Loop Bar
(Optional for Fabric)

Silverstep Magnetic Connector
(Optional)

PARTS LIST

Qty 1 - Silverstep Stand

Qty 1 - Clamp Bar

Qty 1 - Telescopic Support Pole

Qty 1 - Silver Travel Bag

# SET UP INSTRUCTIONS

Prepare Banner Stand

a. Remove Silverstep Stand out of bag.

Install Telescopic Pole

a. Assemble telescopic pole.

b. Insert telescopic pole into hole of the base stand.

Pull Up Banner

a. Pull banner out of base.

b. Attach telescopic pole to the clamp bar. Adjust pole to desired height.

c. Complete stand.

SET UP INSTRUCTIONS

Install Magnetic Connector

a. Pull off end caps from Silverstep.

b. Push connector piece until it locks in position.

c. Connect another Silverstep onto it.

Complete Connection

SILVERSTEP® TABLETOP 36"

RETRACTABLE BANNER STANDS

PRODUCT CODE: SSTT36

PRODUCT DESCRIPTION

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

DISPLAY DIMENSION	37.5" W x 9.5" D x 3" H
GRAPHIC DIMENSIONS	36" W x 69" to 92" H

GRAPHIC MATERIAL

Super Flat Vinyl or Fabric

GRAPHIC FINISHING

5" Bleed at the bottom

DISPLAY CONSTRUCTION

Sturdy Aluminum Construction

SHIPPING WEIGHTS & DIMENSIONS

SINGLE BOX - 1 Unit

Shipping Weight	17 lbs (stand only) 18 lbs (frame and graphic)
Shipping Dimensions	41" H x 13" W x 5" D

MASTER BOX - 4 Units

Shipping Weight	64 lbs (stand only) 65 lbs (frame and graphic)
Shipping Dimensions	42" H x 26" W x 10" D

LARGE QUANTITY FREIGHT

Master Box - Freight Shipping	12 boxes per 48" L x 40" W x 52" H skids
Master Box - Freight Weight	384 lbs (frame only) 390 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME

2 to 3 business days after proof approval

AVAILABLE ACCESSORIES

Silver Clamp Light (35 Watts)	Silver Clamp Light LED
Silver Light (50 Watts)	Black Light (50 Watts)
Silverstep Magnectic Connector	
AVAILABILITY	CA and PA

Black Base
(Optional)

Black Clamp Bar
(Optional for Super Flat Vinyl)

Black Hook & Loop Bar
(Optional for Fabric)

Silver Hook & Loop Bar
(Optional for Fabric)

Silverstep Magnetic Connector
(Optional)

PARTS LIST

Qty 1 - Silverstep Stand

Qty 1 - Clamp Bar

Qty 1 - Telescopic Support Pole

Qty 1 - Silver Travel Bag

SET UP INSTRUCTIONS

Prepare Banner Stand

a. Remove Silverstep Stand out of bag.

Install Telescopic Pole

a. Assemble telescopic pole.

b. Insert telescopic pole into hole of the base stand.

Pull Up Banner

a. Pull banner out of base.

b. Attach telescopic pole to the clamp bar. Adjust pole to desired height.

c. Complete stand.

SET UP INSTRUCTIONS

Install Magnetic Connector

a. Pull off end caps from Silverstep.

b. Push connector piece until it locks in position.

c. Connect another Silverstep onto it.

Complete Connection

LIFE TIME On frame **1 YEAR** On graphic **INDOOR USE** **SINGLE SIDED** **CLAMP BAR** **ADJUSTABLE HEIGHT**

PRODUCT DESCRIPTION

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

DISPLAY DIMENSION	49.5" W x 9.5" D x 3" H
GRAPHIC DIMENSIONS	48" W x 69" to 92" H

GRAPHIC MATERIAL
Super Flat Vinyl or Fabric

GRAPHIC FINISHING
5" Bleed at the bottom

DISPLAY CONSTRUCTION
Sturdy Aluminum Construction

SHIPPING WEIGHTS & DIMENSIONS

SINGLE BOX - 1 Unit	
Shipping Weight	21 lbs (stand only) 22 lbs (frame and graphic)
Shipping Dimensions	53" H x 13" W x 6" D
MASTER BOX - 4 Units	
Shipping Weight	89 lbs (stand only) 90 lbs (frame and graphic)
Shipping Dimensions	53" H x 27" W x 12" D

LARGE QUANTITY FREIGHT

Master Box - Freight Shipping	9 boxes per 48" L x 40" W x 65" H skids
Master Box - Freight Weight	534 lbs (frame only) 540 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME
2 to 3 business days after proof approval

AVAILABLE ACCESSORIES

Silver Clamp Light (35 Watts)	Silver Clamp Light LED
Silver Light (50 Watts)	Silverstep Magnectic Connector
AVAILABILITY	CA and PA

Silver Hook & Loop Bar
(Optional for Fabric)

Silverstep Magnetic Connector
(Optional)

PARTS LIST

Qty 1 - Silverstep Stand

Qty 1 - Clamp Bar

Qty 2 - Telescopic Support Poles

Qty 1 - Silver Travel Bag

SET UP INSTRUCTIONS

Prepare Banner Stand

a. Remove Silverstep Stand out of bag.

Install Telescopic Pole

a. Assemble telescopic poles.

b. Insert telescopic poles into hole of the base stand.

Pull Up Banner

a. Pull banner out of base.

b. Attach telescopic poles to the clamp bar. Adjust pole to desired height.

c. Complete stand.

SET UP INSTRUCTIONS

Install Magnetic Connector

a. Pull off end caps from Silverstep.

b. Push connector piece until it locks in position.

c. Connect another Silverstep onto it.

Complete Connection

SILVERSTEP® TABLETOP 48"

RETRACTABLE BANNER STANDS

PRODUCT CODE: SSTT48

LIFE TIME — On frame
1 YEAR — On graphic
INDOOR USE
SINGLE SIDED
CLAMP BAR
ADJUSTABLE HEIGHT

PRODUCT DESCRIPTION

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

DISPLAY DIMENSION	49.5" W x 9.5" D x 3" H
GRAPHIC DIMENSIONS	48" W x 69" to 92" H

GRAPHIC MATERIAL

Super Flat Vinyl or Fabric

GRAPHIC FINISHING

5" Bleed at the bottom

DISPLAY CONSTRUCTION

Sturdy Aluminum Construction

SHIPPING WEIGHTS & DIMENSIONS

SINGLE BOX - 1 Unit

Shipping Weight	21 lbs (stand only) 22 lbs (frame and graphic)
Shipping Dimensions	53" H x 13" W x 6" D

MASTER BOX - 4 Units

Shipping Weight	89 lbs (stand only) 90 lbs (frame and graphic)
Shipping Dimensions	53" H x 27" W x 12" D

LARGE QUANTITY FREIGHT

Master Box - Freight Shipping	9 boxes per 48" L x 40" W x 65" H skids
Master Box - Freight Weight	534 lbs (frame only) 540 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME

2 to 3 business days after proof approval

AVAILABLE ACCESSORIES

Silver Clamp Light (35 Watts)	Silver Clamp Light LED
Silver Light (50 Watts)	Silverstep Magnectic Connector
AVAILABILITY	CA and PA

Silver Hook & Loop Bar
(Optional for Fabric)

Silverstep Magnetic Connector
(Optional)

PARTS LIST

Qty 1 - Silverstep Stand

Qty 1 - Clamp Bar

Qty 2 - Telescopic Support Poles

Qty 1 - Silver Travel Bag

# SET UP INSTRUCTIONS

Prepare Banner Stand

a. Remove Silverstep Stand out of bag.

Install Telescopic Pole

a. Assemble telescopic poles.

b. Insert telescopic poles into hole of the base stand.

Pull Up Banner

a. Pull banner out of base.

b. Attach telescopic poles to the clamp bar. Adjust pole to desired height.

c. Complete stand.

SET UP INSTRUCTIONS

Install Magnetic Connector

a. Pull off end caps from Silverstep.

b. Push connector piece until it locks in position.

c. Connect another Silverstep onto it.

Complete Connection

LIFE TIME	1 YEAR	INDOOR USE	SINGLE SIDED	CLAMP BAR	ADJUSTABLE HEIGHT
On frame	On graphic				

PRODUCT DESCRIPTION

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

DISPLAY DIMENSION	61.5" W x 9.5" D x 3" H
GRAPHIC DIMENSIONS	60" W x 69" to 92" H

GRAPHIC MATERIAL

Super Flat Vinyl or Fabric

GRAPHIC FINISHING

5" Bleed at the bottom

DISPLAY CONSTRUCTION

Sturdy Aluminum Construction

SHIPPING WEIGHTS & DIMENSIONS

SINGLE BOX - 1 Unit

Shipping Weight	25 lbs (stand only) 26 lbs (frame and graphic)
Shipping Dimensions	67" H x 13" W x 5" D

MASTER BOX - 4 Units

Shipping Weight	111 lbs (stand only) 112 lbs (frame and graphic)
Shipping Dimensions	69" H x 27" W x 13" D

LARGE QUANTITY FREIGHT

Master Box - Freight Shipping	6 boxes per 48" L x 40" W x 69" H skids
Master Box - Freight Weight	333 lbs (frame only) 336 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME

2 to 3 business days after proof approval

AVAILABLE ACCESSORIES

Silver Clamp Light (35 Watts)	Silver Clamp Light LED
Silver Light (50 Watts)	Silverstep Magnectic Connector
AVAILABILITY	CA and PA

Silver Hook & Loop Bar
(Optional for Fabric)



Silverstep Magnetic Connector
(Optional)

PARTS LIST

Qty 1 - Silverstep Stand

Qty 1 - Clamp Bar

Qty 2 - Telescopic Support Poles

Qty 1 - Silver Travel Bag

SET UP INSTRUCTIONS

Prepare Banner Stand

a. Remove Silverstep Stand out of bag.

Install Telescopic Pole

a. Assemble telescopic poles.

b. Insert telescopic poles into hole of the base stand.

Pull Up Banner

a. Pull banner out of base.

**b.** Attach telescopic poles to the clamp bar. Adjust pole to desired height.

c. Complete stand.

SET UP INSTRUCTIONS

Install Magnetic Connector

a. Pull off end caps from Silverstep.

b. Push connector piece until it locks in position.

c. Connect another Silverstep onto it.

Complete Connection

LIFE TIME On frame **1 YEAR** On graphic **INDOOR USE** **SINGLE SIDED** **CLAMP BAR** **ADJUSTABLE HEIGHT**

PRODUCT DESCRIPTION

Durable and uniquely designed, this aluminum stand is the perfect combination of versatility, appeal, and affordability.

DISPLAY DIMENSION	61.5" W x 9.5" D x 3" H
GRAPHIC DIMENSIONS	60" W x 69" to 92" H

GRAPHIC MATERIAL

Super Flat Vinyl or Fabric

GRAPHIC FINISHING

 5" Bleed at the bottom

DISPLAY CONSTRUCTION

Sturdy Aluminum Construction

SHIPPING WEIGHTS & DIMENSIONS

SINGLE BOX - 1 Unit

Shipping Weight	25 lbs (stand only) 26 lbs (frame and graphic)
Shipping Dimensions	67" H x 13" W x 5" D

MASTER BOX - 4 Units

Shipping Weight	111 lbs (stand only) 112 lbs (frame and graphic)
Shipping Dimensions	69" H x 27" W x 13" D

LARGE QUANTITY FREIGHT

Master Box - Freight Shipping	6 boxes per 48" L x 40" W x 69" H skids
Master Box - Freight Weight	333 lbs (frame only) 336 lbs (frame & graphic)

GRAPHIC TURN AROUND TIME

2 to 3 business days after proof approval

AVAILABLE ACCESSORIES

Silver Clamp Light (35 Watts)	Silver Clamp Light LED
Silver Light (50 Watts)	Silverstep Magnectic Connector
AVAILABILITY	CA and PA

Silver Hook & Loop Bar
(Optional for Fabric)

Silverstep Magnetic Connector
(Optional)

PARTS LIST

Qty 1 - Silverstep Stand

Qty 1 - Clamp Bar

Qty 2 - Telescopic Support Poles

Qty 1 - Silver Travel Bag

SET UP INSTRUCTIONS

Prepare Banner Stand

a. Remove Silverstep Stand out of bag.

Install Telescopic Pole

a. Assemble telescopic poles.

b. Insert telescopic poles into hole of the base stand.

Pull Up Banner

a. Pull banner out of base.

**b.** Attach telescopic poles to the clamp bar. Adjust pole to desired height.

c. Complete stand.

SET UP INSTRUCTIONS

Install Magnetic Connector

a. Pull off end caps from Silverstep.

b. Push connector piece until it locks in position.

c. Connect another Silverstep onto it.

Complete Connection